



Instructions for Sealed Cladding System Maintenance

Congratulations, Your contractor has installed a ‘Sealed Cladding System’ on your home. This system provides the highest level of regional performance standards. However, the system must be monitored after every extreme weather event and/or every five years (whichever occurs first).

1. Check for cracks or gaps in the paint and cladding.
2. Check for Sealant Deterioration around windows, doors, other penetrations (Vents, Pipes, etc.).
3. If any cracking or damages occur notify your Sealed Cladding System Technician listed on this card or find a certified technician at: <https://www.sealedcladdingsystem.com>
4. Any attachments on the exterior of the home installed after the system is installed may compromise the integrity of the system and must be installed and sealed correctly in order to prevent future damage to the home.
5. Re-Paint and Re-Seal no longer than 10 years from original Sealed Cladding System installation.

Certified Sealed Cladding System Technician: _____

License #: _____ Installation Date: _____

Phone: _____ Address: _____

Date:	Maintenance Item / Notes:



Instructions for Sealed Cladding System Maintenance

Congratulations, Your contractor has installed a ‘Sealed Cladding System’ on your home. This system provides the highest level of regional performance standards. However, the system must be monitored after every extreme weather event and/or every five years (whichever occurs first).

1. Check for cracks or gaps in the paint and cladding.
2. Check for Sealant Deterioration around windows, doors, other penetrations (Vents, Pipes, etc.).
3. If any cracking or damages occur notify your Sealed Cladding System Technician listed on this card or find a certified technician at: <https://www.sealedcladdingsystem.com>
4. Any attachments on the exterior of the home installed after the system is installed may compromise the integrity of the system and must be installed and sealed correctly in order to prevent future damage to the home.
5. Re-Paint and Re-Seal no longer than 10 years from original Sealed Cladding System installation.

Certified Sealed Cladding System Technician: _____

License #: _____ Installation Date: _____

Phone: _____ Address: _____

Date:	Maintenance Item / Notes: